PERIODIC TABLE OF THE ELEMENTS

1																	18
1 **H** 1.008	2											13	14	15	16	17	2 **He** 4.00
3 **Li** 6.94	4 **Be** 9.01											5 **B** 10.81	6 **C** 12.01	7 **N** 14.01	8 **O** 16.00	9 **F** 19.00	10 **Ne** 20.18
11 **Na** 22.99	12 **Mg** 24.30	3	4	5	6	7	8	9	10	11	12	13 **Al** 26.98	14 **Si** 28.09	15 **P** 30.97	16 **S** 32.06	17 **Cl** 35.45	18 **Ar** 39.95
19 **K** 39.10	20 **Ca** 40.08	21 **Sc** 44.96	22 **Ti** 47.87	23 **V** 50.94	24 **Cr** 52.00	25 **Mn** 54.94	26 **Fe** 55.85	27 **Co** 58.93	28 **Ni** 58.69	29 **Cu** 63.55	30 **Zn** 65.38	31 **Ga** 69.72	32 **Ge** 72.63	33 **As** 74.92	34 **Se** 78.97	35 **Br** 79.90	36 **Kr** 83.80
37 **Rb** 85.47	38 **Sr** 87.62	39 **Y** 88.91	40 **Zr** 91.22	41 **Nb** 92.91	42 **Mo** 95.95	43 **Tc**	44 **Ru** 101.07	45 **Rh** 102.91	46 **Pd** 106.42	47 **Ag** 107.87	48 **Cd** 112.41	49 **In** 114.82	50 **Sn** 118.71	51 **Sb** 121.76	52 **Te** 127.60	53 **I** 126.90	54 **Xe** 131.29
55 **Cs** 132.91	56 **Ba** 137.33	57–71 *	72 **Hf** 178.49	73 **Ta** 180.95	74 **W** 183.84	75 **Re** 186.21	76 **Os** 190.23	77 **Ir** 192.22	78 **Pt** 195.08	79 **Au** 196.97	80 **Hg** 200.59	81 **Tl** 204.38	82 **Pb** 207.2	83 **Bi** 208.98	84 **Po**	85 **At**	86 **Rn**
87 **Fr**	88 **Ra**	89–103 †	104 **Rf**	105 **Db**	106 **Sg**	107 **Bh**	108 **Hs**	109 **Mt**	110 **Ds**	111 **Rg**	112 **Cn**	113 **Nh**	114 **Fl**	115 **Mc**	116 **Lv**	117 **Ts**	118 **Og**

*Lanthanoids	57 **La** 138.91	58 **Ce** 140.12	59 **Pr** 140.91	60 **Nd** 144.24	61 **Pm**	62 **Sm** 150.36	63 **Eu** 151.97	64 **Gd** 157.25	65 **Tb** 158.93	66 **Dy** 162.50	67 **Ho** 164.93	68 **Er** 167.26	69 **Tm** 168.93	70 **Yb** 173.05	71 **Lu** 174.97
†Actinoids	89 **Ac**	90 **Th** 232.04	91 **Pa** 231.04	92 **U** 238.03	93 **Np**	94 **Pu**	95 **Am**	96 **Cm**	97 **Bk**	98 **Cf**	99 **Es**	100 **Fm**	101 **Md**	102 **No**	103 **Lr**

Periodic Table of the Electronegativities

Group 1	Group 2	Group 3	Group 4	Group 5	Group 6	Group 7	Group 8	Group 9	Group 10	Group 11	Group 12	Group 13	Group 14	Group 15	Group 16	Group 17	Group 18
1 H 2.1																	2 He
3 Li 1.0	4 Be 1.5											5 B 2.0	6 C 2.5	7 N 3.0	8 O 3.5	9 F 4.0	10 Ne
11 Na 0.9	12 Mg 1.2											13 Al 1.5	14 Si 1.8	15 P 2.1	16 S 2.5	17 Cl 3.0	18 Ar
19 K 0.8	20 Ca 1.0	21 Sc 1.3	22 Ti 1.5	23 V 1.6	24 Cr 1.6	25 Mn 1.5	26 Fe 1.8	27 Co 1.8	28 Ni 1.8	29 Cu 1.9	30 Zn 1.6	31 Ga 1.6	32 Ge 1.8	33 As 2.0	34 Se 2.4	35 Br 2.8	36 Kr 3.0
37 Rb 0.8	38 Sr 1.0	39 Y 1.2	40 Zr 1.4	41 Nb 1.6	42 Mo 1.8	43 Tc 1.9	44 Ru 2.2	45 Rh 2.2	46 Pd 2.2	47 Ag 1.9	48 Cd 1.7	49 In 1.7	50 Sn 1.8	51 Sb 1.9	52 Te 2.1	53 I 2.5	54 Xe 2.6
55 Cs 0.7	56 Ba 0.9	57 La 1.1	72 Hf 1.3	73 Ta 1.5	74 W 1.7	75 Re 1.9	76 Os 2.2	77 Ir 2.2	78 Pt 2.2	79 Au 2.4	80 Hg 1.9	81 Tl 1.8	82 Pb 1.8	83 Bi 1.9	84 Po 2.0	85 At 2.2	86 Rn 2.4
87 Fr 0.7	88 Ra 0.9	89 Ac 1.1	104 Unq	105 Unp	106 Unh	107 Uns	108 Uno	109 Une									

6 — Atomic Number
C — Symbol
2.5 — Electronegativity

Lanthanide Series

58 Ce 1.1	59 Pr 1.1	60 Nd 1.1	61 Pm 1.1	62 Sm 1.1	63 Eu 1.1	64 Gd 1.1	65 Tb 1.1	66 Dy 1.1	67 Ho 1.1	68 Er 1.1	69 Tm 1.1	70 Yb 1.1	71 Lu 1.2
90 Th 1.3	91 Pa 1.5	92 U 1.7	93 Np 1.3	94 Pu 1.3	95 Am 1.3	96 Cm 1.3	97 Bk 1.3	98 Cf 1.3	99 Es 1.3	100 Fm 1.3	101 Md 1.3	102 No 1.3	103 Lr

Actinide Series

Electro. Neg. Difference	Bond Type
0 – 0.4	nonpolar
0.5 – 1.9	polar
≥ 2.0	ionic

AP® CHEMISTRY EQUATIONS AND CONSTANTS

Throughout the exam the following symbols have the definitions specified unless otherwise noted.

L, mL	=	liter(s), milliliter(s)	mm Hg	=	millimeters of mercury
g	=	gram(s)	J, kJ	=	joule(s), kilojoule(s)
nm	=	nanometer(s)	V	=	volt(s)
atm	=	atmosphere(s)	mol	=	mole(s)

ATOMIC STRUCTURE

$E = h\nu$

$c = \lambda\nu$

E = energy
ν = frequency
λ = wavelength

Planck's constant, $h = 6.626 \times 10^{-34}$ J s
Speed of light, $c = 2.998 \times 10^{8}$ m s^{-1}
Avogadro's number = 6.022×10^{23} mol^{-1}
Electron charge, $e = -1.602 \times 10^{-19}$ coulomb

EQUILIBRIUM

$K_c = \dfrac{[C]^c[D]^d}{[A]^a[B]^b}$, where $a\,A + b\,B \rightleftarrows c\,C + d\,D$

$K_p = \dfrac{(P_C)^c(P_D)^d}{(P_A)^a(P_B)^b}$

$K_a = \dfrac{[H^+][A^-]}{[HA]}$

$K_b = \dfrac{[OH^-][HB^+]}{[B]}$

$K_w = [H^+][OH^-] = 1.0 \times 10^{-14}$ at 25°C

$= K_a \times K_b$

$pH = -\log[H^+]$, $pOH = -\log[OH^-]$

$14 = pH + pOH$

$pH = pK_a + \log\dfrac{[A^-]}{[HA]}$

$pK_a = -\log K_a$, $pK_b = -\log K_b$

Equilibrium Constants

K_c (molar concentrations)
K_p (gas pressures)
K_a (weak acid)
K_b (weak base)
K_w (water)

KINETICS

$[A]_t - [A]_0 = -kt$

$\ln[A]_t - \ln[A]_0 = -kt$

$\dfrac{1}{[A]_t} - \dfrac{1}{[A]_0} = kt$

$t_{1/2} = \dfrac{0.693}{k}$

k = rate constant
t = time
$t_{1/2}$ = half-life

GASES, LIQUIDS, AND SOLUTIONS

$$PV = nRT$$

$$P_A = P_{total} \times X_A, \text{ where } X_A = \frac{\text{moles A}}{\text{total moles}}$$

$$P_{total} = P_A + P_B + P_C + \ldots$$

$$n = \frac{m}{M}$$

$$\text{K} = {}^\circ\text{C} + 273$$

$$D = \frac{m}{V}$$

$$KE_{\text{molecule}} = \frac{1}{2}mv^2$$

Molarity, M = moles of solute per liter of solution

$$A = \varepsilon bc$$

P = pressure
V = volume
T = temperature
n = number of moles
m = mass
M = molar mass
D = density
KE = kinetic energy
v = velocity
A = absorbance
ε = molar absorptivity
b = path length
c = concentration

Gas constant, R = 8.314 J mol^{-1} K^{-1}
= 0.08206 L atm mol^{-1} K^{-1}
= 62.36 L torr mol^{-1} K^{-1}

1 atm = 760 mm Hg = 760 torr

STP = 273.15 K and 1.0 atm

Ideal gas at STP = 22.4 L mol^{-1}

THERMODYNAMICS / ELECTROCHEMISTRY

$$q = mc\Delta T$$

$$\Delta S^\circ = \sum S^\circ \text{ products} - \sum S^\circ \text{ reactants}$$

$$\Delta H^\circ = \sum \Delta H_f^\circ \text{ products} - \sum \Delta H_f^\circ \text{ reactants}$$

$$\Delta G^\circ = \sum \Delta G_f^\circ \text{ products} - \sum \Delta G_f^\circ \text{ reactants}$$

$$\Delta G^\circ = \Delta H^\circ - T\Delta S^\circ$$
$$= -RT \ln K$$
$$= -nF E^\circ$$

$$I = \frac{q}{t}$$

$$E_{cell} = E^\circ_{cell} - \frac{RT}{nF} \ln Q$$

q = heat
m = mass
c = specific heat capacity
T = temperature
S° = standard entropy
H° = standard enthalpy
G° = standard Gibbs free energy
n = number of moles
E° = standard reduction potential
I = current (amperes)
q = charge (coulombs)
t = time (seconds)
Q = reaction quotient

Faraday's constant, F = 96,485 coulombs per mole of electrons

$$1 \text{ volt} = \frac{1 \text{ joule}}{1 \text{ coulomb}}$$

TABLE 8.4 • Average Bond Enthalpies (kJ/mol)

Single Bonds

C—H	413	N—H	391	O—H	463	F—F	155
C—C	348	N—N	163	O—O	146		
C—N	293	N—O	201	O—F	190	Cl—F	253
C—O	358	N—F	272	O—Cl	203	Cl—Cl	242
C—F	485	N—Cl	200	O—I	234		
C—Cl	328	N—Br	243			Br—F	237
C—Br	276			S—H	339	Br—Cl	218
C—I	240	H—H	436	S—F	327	Br—Br	193
C—S	259	H—F	567	S—Cl	253		
		H—Cl	431	S—Br	218	I—Cl	208
Si—H	323	H—Br	366	S—S	266	I—Br	175
Si—Si	226	H—I	299			I—I	151
Si—C	301						
Si—O	368						
Si—Cl	464						

Multiple Bonds

C=C	614	N=N	418	O_2	495
C≡C	839	N≡N	941		
C=N	615	N=O	607	S=O	523
C≡N	891			S=S	418
C=O	799				
C≡O	1072				



▲ **FIGURE 11.25** **Vapor pressure for four liquids as a function of temperature.**

TABLE 9.2 • Electron-Domain and Molecular Geometries for Two, Three, and Four Electron Domains around a Central Atom

Number of Electron Domains	Electron-Domain Geometry	Bonding Domains	Nonbonding Domains	Molecular Geometry	Example
2	 Linear	2	0	 Linear	
3	 Trigonal planar	3	0	 Trigonal planar	
		2	1	 Bent	
4	 Tetrahedral	4	0	 Tetrahedral	
		3	1	 Trigonal pyramidal	
		2	2	 Bent	

TABLE 9.3 • Electron-Domain and Molecular Geometries for Five and Six Electron Domains around a Central Atom

Number of Electron Domains	Electron-Domain Geometry	Bonding Domains	Nonbonding Domains	Molecular Geometry	Example
5	 Trigonal bipyramidal	5	0	 Trigonal bipyramidal	PCl_5
		4	1	 Seesaw	SF_4
		3	2	 T-shaped	ClF_3
		2	3	 Linear	XeF_2
6	 Octahedral	6	0	 Octahedral	SF_6
		5	1	 Square pyramidal	BrF_5
		4	2	 Square planar	XeF_4